HIG RISK BABIES' STUDY: VHT REFERRAL FORM





Strengthening Health Systems for High Risk Newborn Care: An Integrated Hospital-Community GIS System for Sustainable Delivery of Quality Care during Early Child Brain Development in Rural Uganda

MAKERERE UNIVERSITY IGANGA/MAYUGE DEMOGRAPHIC SURVEILLANCE SITE

APRIL 2015

HIG RISK BABIES' STUDY: VHT REFERRAL FORM



Name of Household head:	
Name of Mother:	Newborn:
Age:	Parish (Muluka) :
Sex: (M/F)	
Village (LC1 Zone) :	Sub County (Gombolola):
Location Description	
1	Reason for referral (Danger sign)
Mother:	Name of VHT referring
Newborn:	
	ack from health facility to VHT
	ack from health facility to VHT
Feedb	ack from health facility to VHT
Feedb Name (Mother/Newborn):	ack from health facility to VHT Date:
Name (Mother/Newborn): Name of health facility:	ack from health facility to VHT Date:
Name (Mother/Newborn): Name of health facility: Name of service provider:	Date:
Name (Mother/Newborn): Name of health facility: Name of service provider:	ack from health facility to VHT Date:

Danger signs in woman/mother

- Continuous vomiting CV
- Fits or convulsions FC
- Vaginal bleeding VB
- Foul smelling discharge from the vagina VD
- Fever or feeling hot FE
- Severe headache/feeling dizziness SHD
- Swollen feet, hands or face SHF
- Looking pale and always weak PW
- Severe abdominal pain SAP
- Leakage of urine or feaces from the vagina LUF

Danger sign in newborn

- 1. Problems with breathing
- 2. Very weak Baby (not moving when stimulated)
- 3. Baby fails or is unable to breastfeed
- 4. Feeling very cold or hot
- 5. Dirty cord stump with pus or reddening
- 6. Eye discharge
- 7. Diarrhea
- 8. Convulsions
- 9. Skin rashes with pus or fluid
- 10. Baby cries excessively
- 11. Yellow eyes and skin (first 24 hours after delivery/accompanying another illness)
- 12. Very small babies

HIG RISK BABIES' STUDY: VHT REFERRAL FORM